

Amendment to the Claims:

Please rewrite Claims 5-12 to read as follows:

Claims 1-4 (cancelled).

Claim 5 (currently amended): A deflection yoke comprising:

a coil separator having a rear plate and a neck part which are defined therein and ~~a printed circuit board which is positioned on a side thereof;~~

at least one horizontal deflecting coil disposed on a circumferential inner surface of the coil separator to produce a horizontal magnetic field and connected to said printed circuit board;

at least one vertical deflecting coil disposed on a circumferential outer surface of the coil separator to produce a vertical magnetic field; and

a compensating ~~means~~ element made of a magnetic material provided in said neck part of said coil separator ~~for compensating~~ which compensates convergence on a screen.

Claim 6 (currently amended): A deflection yoke according to Claim 5, wherein said compensating means is constructed of a pair of iron plates which are attached to one side of said rear plate while wrapping the outer periphery of said neck part in opposite directions ~~with~~ from each other.

Claim 7 (currently amended): A deflection yoke according to Claim 6,
~~wherein said pair of iron plates are made of a magnetic substance, and wherein each of~~
said iron plates has a semi-circular configuration about said neck part.

Claim 8 (currently amended): A deflection yoke according to Claim 6,
wherein said pair of iron plates are fixed in place by ~~using an~~ adherence.

Claim 9 (currently amended): A deflection yoke comprising:

- a coil separator having a rear plate and a neck part which are defined therein ~~and a printed circuit board which is positioned on a side thereof;~~
- at least one horizontal deflecting coil disposed on a circumferential inner surface of the coil separator to produce a horizontal magnetic field and connected to said printed circuit board;
- at least one vertical deflecting coil disposed on a circumferential outer surface of the coil separator to produce a vertical magnetic field;
- a ferrite core positioned on the circumferential outer surface of the coil separator to reinforce the horizontal and vertical magnetic fields of the horizontal and vertical deflection coils; and
- a pair of generally semi-circumferential bands made of a magnetic substance and positioned on the surface of said rear plate connected with said neck part for compensating convergence on a screen.

Claim 10 (currently amended): A deflection yoke according to Claim 5 9, wherein said bands are constructed of a pair of iron plates which are attached to one side of said rear plate while wrapping the outer periphery of said neck part in opposite directions ~~with~~ from each other.

Claim 11 (currently amended): A deflection yoke according to Claim 6 10, ~~wherein said pair of iron plates are made of magnetic substance, and~~ wherein each of said iron plates has a semi-circular configuration about said neck part.

Claim 12 (currently amended): A deflection yoke according to Claim 6 10, wherein said pair of iron plates are fixed in place by ~~using an~~ adherence.